

Product features

Model SAP Code 00000995

- Top type: Combinated
- Griddle dimensions [mm x mm]: 650 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No
- Ignition: Piezo


| SAP Code | 00000995 | Power gas [kW] | 8.000 |
|-----------------|----------|------------------------------|----------------------------------|
| Net Width [mm] | 658 | Type of gas | Propane bu- tane, natural gas |
| Net Depth [mm] | 0 | Griddle dimensions [mm x mm] | 650 x 480 |
| Net Height [mm] | 285 | Top type | Combinated |
| Net Weight [kg] | 45.00 | | |



Technical drawing

| Fry-top griddle plate 65x48 gas chromed combined counter to | top |
|---|-----|
|---|-----|

Model SAP Code



00000995



Product benefits

Fry-top griddle plate 65x48 gas chromed combined counter top

Model SAP Code 00000995

Safety element – thermocouple

safe service for staff there is no unnecessary gas leakage long life

- savings on service interventions
- easier and faster operation

All-stainless design
long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

High non-removable hem
better hygienic conditions
preventing grease from splashing onto

ancillary equipment

- easy maintenance
- easy cleaning

Combined plate made of chrome-plated steel

the product bakes less enables preparation on smooth or grooved plates

- time-saving in food preparation
- easy preparation of different types of dishes

Cooking unit for use on a table or on a base

variable use the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

7 |

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2024-05-16

2



Technical parameters

| Fry-top griddle plate 65x48 gas chromed combined counter top | | | |
|--|--|--|--|
| Model SAP Code | 00000995 | | |
| | | | |
| 1. SAP Code: 00000995 | 15. Protection of controls: | | |
| 2. Net Width [mm]: 658 | 16. Material: AISI 430 | | |
| 3. Net Depth [mm]: | 17. Surface finish: polished chrome 0.03 mm | | |
| 4. Net Height [mm]: 285 | 18. Maximum device temperature [°C]: 300 | | |
| 5. Net Weight [kg]: 45.00 | 19. Minimum device temperature [°C]: 50 | | |
| 6. Gross Width [mm]: 640 | 20. Adjustable feet: Yes | | |
| 7. Gross depth [mm]: 725 | 21. Griddle dimensions [mm x mm]: 650 x 480 | | |
| 8. Gross Height [mm]: 410 | 22. Griddle thickness [mm]: 10.00 | | |
| 9. Gross Weight [kg]: 50.00 | 23. Container for liquid fat: Yes | | |
| 10. Device type: Gas unit | 24. Independent heating zones: Separate control for each heating zone | | |
| 11. Construction type of device: Table top | 25. Removable rim: No | | |
| 12. Power gas [kW]: 8.000 | 26. Uniform heating: Yes | | |
| 13. Ignition: Piezo | 27. Top type: Combinated | | |

14. Type of gas:

Propane butane, natural gas