

# Technical data sheet

Product features



## Bain marie stationary electric GN 4-1/1 controllers on longer side with rack

<b>Model</b>	<b>SAP Code</b>	00000085
--------------	-----------------	----------

- Drain: Yes
- Material: AISI 304 top plate, AISI 430 cladding
- Protection of controls: IPX4
- Maximum device temperature [°C]: 90

<b>SAP Code</b>	00000085	<b>Power electric [kW]</b>	2.800
<b>Net Width [mm]</b>	1566	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Depth [mm]</b>	598	<b>Number of GN / EN</b>	4
<b>Net Height [mm]</b>	905	<b>GN / EN size in device</b>	GN 1/1
<b>Net Weight [kg]</b>	68.00	<b>GN device depth</b>	200

# Technical data sheet

Technical drawing




Bain marie stationary electric GN 4-1/1 controllers on longer side with rack

Model

SAP Code

0000085



# Technical data sheet

Product benefits



## Bain marie stationary electric GN 4-1/1 controllers on longer side with rack

Model

SAP Code

0000085

1

### Deep-draft bathtubs

basins without sharp transitions, edges and corners

- easy maintenance
- perfect sanitation

2

### Controlling each bath separately

variability of use

- possibility to keep different foods at different temperatures

3

### All-stainless steel construction

harmless to health for contact with food  
robustness

- perfect sanitation
- long service life

4

### Drain valve under the bathtub

safer placement of the drain valve

- valve positioning prevents unintentional contact and possible scalding

# Technical data sheet

Technical parameters



## Bain marie stationary electric GN 4-1/1 controllers on longer side with rack

<b>Model</b>	<b>SAP Code</b>	00000085
--------------	-----------------	----------

**1. SAP Code:**

00000085

**2. Net Width [mm]:**

1566

**3. Net Depth [mm]:**

598

**4. Net Height [mm]:**

905

**5. Net Weight [kg]:**

68.00

**6. Gross Width [mm]:**

730

**7. Gross depth [mm]:**

1700

**8. Gross Height [mm]:**

1010

**9. Gross Weight [kg]:**

70.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Stationary

**12. Power electric [kW]:**

2.800

**13. Loading:**

230 V / 1N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Device color:**

Stainless steel

**16. Material:**

AISI 304 top plate, AISI 430 cladding

**17. Maximum device temperature [°C]:**

90

**18. Minimum device temperature [°C]:**

30

**19. Drain:**

Yes

**20. Number of GN / EN:**

4

**21. GN / EN size in device:**

GN 1/1

**22. GN device depth:**

200