Technical data sheet

Product features

| Multifunctional kitchen appliance INFINITY 10x GN 1/1		
Model	**SAP Code**	00010706

- Shock cooling cycle kg / min (+3 ° C): 45/90
- Shock freeze cycle kg / min (-18 ° C): 30/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 80
- Control type: Touchscreen
- Display size: 9
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes
- Proving cycle: Yes

SAP Code	00010706	**Number of GN / EN**	10
Net Width [mm]	790	**GN / EN size in device**	GN 1/1
Net Depth [mm]	839	**GN device depth**	65
Net Height [mm]	1650	**Shock cooling cycle kg / min (+3 ° C)**	45/90
Net Weight [kg]	179.00	**Shock freeze cycle kg / min (-18 ° C)**	30/240
Power electric [kW]	1.600	**Control type**	Touchscreen
Loading	400 V / 3N - 50 Hz		

Multifunctional kitchen appliance INFINITY 10x GN 1/1

Model	SAP Code	00010706

15 TRAYS

10 TRAYS

LAYOUT

A= ELECTRICAL CONNECTION
B= GAS CONNECTION ø14 ø18
C= GAS CONNECTION ø14 ø22
D= WATER DISCARGE ø18 (F)

2024-04-11

2

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com

Multifunctional kitchen appliance INFINITY 10x GN 1/1		
Model	**SAP Code**	00010706

1 **6 in 1**

can replace 6 devices (fridge, freezer, shocker, hotbox, kitchen, oven)

– saves space, time, energy and the cost of additional equipment due to the enormous variability

2 **Stainless steel body and interior**

endurance
hygiene

– thanks to the all-stainless steel construction it is very easy to maintain and thus saves costs

3 **Monitoring of HACCP parameters**

easy registration of all necessary parameters

– hassle-free proof of proper food handling in the event of an inspection

4 **Preset cycles**

very simple and intuitive operation

– operation can be handled by less qualified operators

5 **Slow cooking**

better taste
less weight loss during cooking

– saves costs due to less weight loss

6 **Multipoint probe**

precise monitoring of the cooling/freezing/ cooking temperature

– the probe makes it easier to ensure food safety

– saves energy and time due to the end of cooling/ freezing/cooking when temperature is reached

7 **Thawing**

readiness of frozen food for processing on time

– time saving

– controlled food handling

8 **Cooking during the night**

the possibility to preset entire program cycles and run them overnight unattended

– saving equipment capacity during the day

– saving of human capacity and time due to unattended operation of the equipment overnight

Technical data sheet

Technical parameters

Multifunctional kitchen appliance INFINITY 10x GN 1/1		
Model	**SAP Code**	00010706

1. SAP Code:
00010706

2. Net Width [mm]:
790

3. Net Depth [mm]:
839

4. Net Height [mm]:
1650

5. Net Weight [kg]:
179.00

6. Gross Width [mm]:
846

7. Gross depth [mm]:
860

8. Gross Height [mm]:
1780

9. Gross Weight [kg]:
189.70

10. Device type:
Electric unit

11. Material:
AISI 304

12. Device color:
Stainless steel

13. Power electric [kW]:
1.600

14. Loading:
400 V / 3N - 50 Hz

15. Control type:
Touchscreen

16. Display size:
9

17. Refrigerant:
R452a

18. Number of GN / EN:
10

19. GN / EN size in device:
GN 1/1

20. GN device depth:
65

21. Maximum device temperature [°C]:
-40

22. Shock freeze cycle kg / min (-18 ° C):
30/240

23. Shock cooling cycle kg / min (+3 ° C):
45/90

24. Insulation thickness [mm]:
80

25. Long-term cooling function:
Yes

26. Longterm freezing function:
Yes

27. Probe:
4-points

28. Self-diagnostics:
Yes

Multifunctional kitchen appliance INFINITY 10x GN 1/1

Model	SAP Code	00010706

29. Interior lighting:
Yes

30. HACCP:
Yes

31. Low temperature heat treatment:
Yes

32. Low temperature cooking span:
52-85

33. Thaving cycle:
Yes

34. Proving cycle:
Yes

35. User programmable cycles:
Yes, with save options

36. USB port:
Yes, for HACCP and firmware update

37. Castors:
Optional

38. Real time monitoring paramaters:
Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

2024-04-11

5

tel.: +420 381 582 284
e-mail: rmgastro@rmgastro.com
web: www.rmgastro.com