

# Technical data sheet



## Product features

### Cooling cabinet 700 l GN 2/1, stainless steel, left door

<b>Model</b>	<b>SAP Code</b>	00006111
--------------	-----------------	----------



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 700
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 8
- Insulation thickness [mm]: 60
- Control type: Digital
- Opening of device: Hinges on the left
- Automatic defrost: Yes

<b>SAP Code</b>	00006111	<b>Chamber volume [l]</b>	700
<b>Net Width [mm]</b>	693	<b>Number of internal parts</b>	3
<b>Net Depth [mm]</b>	826	<b>Number of GN / EN</b>	3
<b>Net Height [mm]</b>	2008	<b>GN / EN size in device</b>	GN 2/1
<b>Net Weight [kg]</b>	110.00	<b>Minimum device temperature [°C]</b>	-2
<b>Power electric [kW]</b>	0.227	<b>Maximum device temperature [°C]</b>	8
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Refrigerant</b>	R290
<b>Energy class</b>	D		

# Technical data sheet




Technical drawing

Cooling cabinet 700 l GN 2/1, stainless steel, left door

Model

SAP Code

00006111



# Technical data sheet



## Product benefits

### Cooling cabinet 700 l GN 2/1, stainless steel, left door

Model

SAP Code

00006111

1

#### Insulation 60mm

minimal heat loss

- saving electricity
- less wear and tear on the compressor due to less frequent switching

2

#### Two-sided opening

possibility to change the opening from the right to the left side

- greater variability of use

3

#### All-stainless design

outer shell

only stainless steel intended for food contact is used

good maintenance

zero contamination

resists even weaker acids

- long service life and high durability

4

#### Automatic defrosting

maintenance-free operation

continuous defrosting

- zero requirement for frost control by the operator

5

#### Height adjustable feet

maintenance-free operation

continuous defrosting

- precise positioning of the fridge in uneven floors, ensures correct operation of the unit thanks to the balance

# Technical data sheet



## Technical parameters

### Cooling cabinet 700 l GN 2/1, stainless steel, left door

**Model**

**SAP Code**

00006111

**1. SAP Code:**

00006111

**2. Net Width [mm]:**

693

**3. Net Depth [mm]:**

826

**4. Net Height [mm]:**

2008

**5. Net Weight [kg]:**

110.00

**6. Gross Width [mm]:**

700

**7. Gross depth [mm]:**

850

**8. Gross Height [mm]:**

2150

**9. Gross Weight [kg]:**

149.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.227

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

D

**14. Refrigerant:**

R290

**15. Cooling type:**

Dinamic

**16. Material:**

Stainless steel

**17. Device properties 2:**

Cooling

**18. GN / EN size in device:**

GN 2/1

**19. Number of internal parts:**

3

**20. Number of GN / EN:**

3

**21. Chamber volume [l]:**

700

**22. Standard equipment for device:**

3 plastic-coated grids GN 2/1

**23. Adjustable feet:**

Yes

**24. Insulation thickness [mm]:**

60

**25. Opening of device:**

Hinges on the left

**26. Number of doors:**

1

**27. Unit:**

Yes

**28. Control type:**

Digital

# Technical data sheet



Technical parameters

Cooling cabinet 700 l GN 2/1, stainless steel, left door

<b>Model</b>	<b>SAP Code</b>	00006111
--------------	-----------------	----------

**29. Minimum device temperature [°C]:**

-2

**31. Automatic defrost:**

Yes

**30. Maximum device temperature [°C]:**

8

**32. Thaving cycle:**

Yes